

## CEMENT REMOVER

### APPLICATION:

CEMENT REMOVER is used for removing cement residues from all common metal surfaces. It must not be used on zinc, aluminum, galvanized materials and stainless steel.

### DIRECTIONS FOR USE

Apply CEMENT REMOVER with brush to surfaces to be cleaned.

- Use undiluted for hard cement deposits on the surfaces.
- Use diluted in solution of 1 part CEMENT REMOVER to 5 - 10 parts water, depending on the thickness of the cement layer.
- Rinse thoroughly with water after 10 to 15 minutes after application.

### NATURE OF SPECIAL RISKS AND SAFETY ADVICE

In accordance with the latest EEC Council directives this product is subjected to:

R34 : Causes burns

R37 : Irritating to respiratory system

S2 : Keep out of reach of children

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S28 : After contact with skin, wash immediately with plenty of water and seek medical advice

S36/37/39 : Wear suitable protective clothing, gloves and eye / face protection

S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label if possible)



Code: 161161515

### CEMENT REMOVER

Strong acid compound specially designed for the removal of cement deposits from most common surfaces

- Fast and efficient cement removal
- Inhibited against attack on ferrous metals
- Forms protective coating on steel surfaces to which paint adheres readily
- Biodegradable and non flammable

### PRODUCT CHARACTERISTICS

Appearance: : clear liquid, yellowish or red

Corrosive action: inhibited against attack on ferrous metals

Specific gravity: 1,1 (20°C)

Flash point: none

pH: pH<1

IMO Class: 8 / II

UN Number: 1789

ADR: 8.5b)



This information is not to be taken as a warranty or representation for which we assume legal responsibility, nor as permission, inducement or recommendation to practice any patented invention without a licence. The information is offered solely for your consideration, investigation and verification.